

GRAMS OF BAIT TO DELIVER LD50 TO BODY WEIGHT OF SPECIES



| Active | Brown Rat (250g) | House Mouse (25g) |
|------------------------------------|------------------|-------------------|
| 1st generation rodenticides | | |
| Coumatetralyl (0.0375%) | 11 | 66.7 |
| Warfarin (0.025%) | 58 | 37.4 |
| 2nd generation rodenticides | | |
| Brodifacoum (0.005%) | 1.4 | 0.2 |
| Bromadiolone (0.005%) | >6 | 0.9 |
| Difenacoum (0.005%) | 9 | 0.4 |
| Difethialone (0.0025%) | 5.6 | 1.3 |
| Flocoumafen (0.005%) | 1.3 | 0.3 |

GRAMS OF BAIT TO DELIVER LD50 TO 1KG BODY WEIGHT OF SPECIES



| Active | Cat | Chicken | Dog | Pig | Rabbit | Sheep |
|------------------------------------|-----|---------|-----|------|--------|-------|
| 1st generation rodenticides | | | | | | |
| Coumatetralyl (0.0375%) | 133 | >8000 | 93 | - | - | - |
| Warfarin (0.025%) | 40 | 4000 | 80 | 4 | 3200 | - |
| 2nd generation rodenticides | | | | | | |
| Brodifacoum (0.005%) | 500 | 90 | 5 | 10 | 5.8 | 60 |
| Bromadiolone (0.005%) | 500 | 1000 | 200 | 60 | 20 | - |
| Difenacoum (0.005%) | 40 | 1000 | 200 | 1600 | 40 | 2000 |
| Difethialone (0.0025%) | 640 | 36 | 472 | 100 | 30 | - |
| Flocoumafen (0.005%) | 200 | 150 | 1.5 | 1200 | 14 | 100 |